

HMIS RATINGS:  
 Health: 1  
 Flammability: 0  
 Reactivity: 0  
 Personal Protection: B

## Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: EarthOxy (NL1500) 55 GAL DRUM  
 Chemical Family: General purpose cleaner  
 Company Identification: NORTHLAND MANUFACTURING  
 P.O. BOX 6247  
 3485 SOUTH MONROE ST  
 TALLAHASSEE, FL 32301

Emergency Phone: 800-535-5053  
 Date Prepared: 08/05/08  
 MSDS Number: 6593

## Section 2: COMPOSITION, INFORMATION ON INGREDIENTS

CAS NUMBER	CHEMICAL NAME	% BY WGHT.	OSHA PEL/ ACGIH TLV	SARA 302/304 (1) *	SARA 313 (2) *	STATE INFO (3) (4)
7722-84-1	Hydrogen Peroxide	< 5	1 ppm TWA	NO	NO	(4)
68917-57-7	Orange Terpenes	< 2	n/e	NO	NO	NO

\* See Section 15 for more information

n/e = none established - n/a = not applicable

## Section 3: HAZARDS IDENTIFICATION

## EMERGENCY OVERVIEW

CAUTION. Harmful if swallowed. May cause irritation to the eyes and skin.

Primary Route of Entry: Eye contact, skin contact

Acute/Potential Health Effects:

EYES: May cause irritation to the eyes experienced as discomfort or pain with excess blinking and tear production and redness or swelling of the conjunctiva.

SKIN: May cause mild skin irritation. Prolonged or repeated contact may cause defatting or drying of skin.

INHALATION: May cause irritation of respiratory tract.

INGESTION: May cause nausea, vomiting and diarrhea.

Chronic / Long Term Effects: No data.

Signs and Symptoms of Overexposure: Ingestion may cause nausea, vomiting and diarrhea. Prolonged dermal exposure may cause drying of the skin.

Target Organ Effects: No data.

Reproductive/Developmental Information: No data.

Carcinogenic Information: This material is not listed as a carcinogen by IARC, NTP or OSHA.

Trade Name: EarthOxy (NL1500) 55 GAL DRUM

MSDS Number: 6593

---

Section 4: FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes.  
Get medical attention if irritation persists.

SKIN: Flush skin with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

INHALATION: Remove to fresh air. If breathing is difficult, give oxygen.

INGESTION: Give large quantities of water or milk. Do not induce vomiting. Get medical attention.

---

Section 5: FIRE FIGHTING MEASURES

Flash Point: No flash by standard methods.

Extinguishing Media: Use appropriate methods for combating surrounding fire.

Special Fire Fighting Instructions: Wear a self contained breathing apparatus with a full face piece operated in the positive pressure demand mode.

---

Section 6: ACCIDENTAL RELEASE MEASURES

Absorb spill with inert material. Flush area well with water to remove trace residue.

---

Section 7: HANDLING AND STORAGE

Store in a cool, dry area. Keep from freezing. Keep container closed when not in use.  
Keep out of reach of children.

---

Section 8: EXPOSURE CONTROLS and PERSONAL PROTECTION

Eye Protection: Wear safety glasses or goggles.

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Respiratory Protection: No special requirements are needed for this material.

Engineering Controls: Use general ventilation.

---

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Clear colorless liquid with pleasant fragrance

pH Concentrate: 2.5

Solubility in Water: Complete

Vapor Pressure [mmHg]: n/e

Evaporation Rate (Butyl Acetate=1): n/a

Vapor Density [Air=1]: n/e

Specific Gravity [H2O=1]: 1.02

Boiling Point: > 212 F

---

Section 10: REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions to avoid: High temperature

Trade Name: EarthOxy (NL1500) 55 GAL DRUM

MSDS Number: 6593

Hazardous Decomposition Products: oxygen

Incompatibility: Strong acids, alkali, reducing agents, and organic materials

---

Section 11: TOXICOLOGICAL INFORMATION

35% Hydrogen Peroxide: Inhalation LC50, 4 hrs, rat, 2000 mg/m3; Oral LD50, rat, 1232 mg/Kg

---

Section 12: ECOLOGICAL INFORMATION

Hydrogen Peroxide: Fish, Pimephales promelas, LC50, 96 hrs, 16.4 mg/L

---

Section 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

---

Section 14: TRANSPORTATION INFORMATION

D.O.T. Shipping Name / Class:

Not regulated.

---

Section 15: REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA (Toxic Substances Control Act): The intentional ingredients of product are listed.

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic ( ) Fire ( ) Pressure ( ) Reactive ( ) Not Applicable ( )

(1) Title III Section 302/304 Extremely Hazardous Substances - 40 CFR 355 Appendix A

(2) Title III Section 313 Toxic Chemicals - 40 CFR 372.65

If indicated under Section 2 of this MSDS, this product contains toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning &amp; Community Right to Know Act of 1986. This information must be included in all MSDS that are copied and distributed for this material.

RCRA Status: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes a hazardous waste it would be assigned RCRA Code(s)

None

State and Local Regulations: Certain states maintain their own ingredient lists which differ slightly from the Federal standards. If indicated under Section 2 of this MSDS, states listed below may have regulations on ingredients contained in this product. Check with your state for any additional regulations.

(3) California proposition 65 (Safe Drinking Water &amp; Toxic Enforcement Act of 1986)

(4) Massachusetts (Hazardous Substance Disclosure by Employers)

Trade Name: EarthOxy (NL1500) 55 GAL DRUM

MSDS Number: 6593

---

## Section 16: OTHER INFORMATION

This information was compiled from current manufacturer's MSDS's of the component parts of the product.

Disclaimer: The Manufacturer believes that the information contained in the Material Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

---