

NL 485 BATH RENOVATOR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : NL 485 BATH RENOVATOR
Product code : H0121

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : BATHROOM AND BOWL CLEANER
Use of the substance/mixture : Cleansing product

1.3. Details of the supplier of the safety data sheet

CleanPak Products LLC.
221 Hobbs Street Suite 108
Tampa, FL 33619
T 813-740-8611 - F 813-740-8218
admin@cleanpakproducts.com - www.cleanpakproducts.com

1.4. Emergency telephone number

Emergency number : 1-800-535-5053
InfoTrac

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Corr. 1B H314
Aquatic Acute 3 H402

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H314 - Causes severe skin burns and eye damage
H402 - Harmful to aquatic life

Precautionary statements (GHS-US) :

P260 - Do not breathe spray, mist
P264 - Wash hands, forearms and face thoroughly after handling
P280 - Wear gloves and protective eyewear
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a physician
P363 - Wash contaminated clothing before reuse
P405 - Store locked up
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

NL 485 BATH RENOVATOR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
phosphoric acid ... %		17 - 21.25	Skin Corr. 1B, H314
alcohols, C9-C11-iso, C10-rich, ethoxylated	(CAS No) 78330-20-8	8 - 12	Acute Tox. 4 (Oral), H302 Aquatic Acute 3, H402
dodecylbenzenesulphonic acid	(CAS No) 27176-87-0	1 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Aquatic Acute 2, H401

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air.
First-aid measures after skin contact	: When symptoms occur: rinse immediately with plenty of water.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Consult an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth with water. Give milk to drink. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Irritation of the eye tissue. Tingling/irritation of the skin.
Symptoms/injuries after inhalation	: Cough.
Symptoms/injuries after skin contact	: May cause moderate irritation.
Symptoms/injuries after eye contact	: Direct contact with the eyes is likely to be irritating.
Symptoms/injuries after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: EXTINGUISHING MEDIA FOR SURROUNDING FIRES:
Unsuitable extinguishing media	: No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Reactivity	: Reacts with (strong) oxidizers and with (some) acids/bases.
------------	---

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Wash away neutralized product with plentiful water.

6.4. Reference to other sections

No additional information available

NL 485 BATH RENOVATOR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a closed container.
Incompatible products : Strong bases.
Maximum storage period : > 2 year

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

NL 485 BATH RENOVATOR		
ACGIH	Not applicable	
OSHA	Not applicable	
phosphoric acid ... %		
ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³
ACGIH	ACGIH STEL (mg/m ³)	3 mg/m ³
OSHA	Not applicable	
alcohols, C9-C11-iso, C10-rich, ethoxylated (78330-20-8)		
ACGIH	Not applicable	
OSHA	Not applicable	
dodecylbenzenesulphonic acid (27176-87-0)		
ACGIH	Not applicable	
OSHA	Not applicable	

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Personal protective equipment : Gloves. Safety glasses.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : pink
Odour : almond-like
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : 0 °C
Boiling point : 100 °C
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

NL 485 BATH RENOVATOR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific gravity	: \approx 1.098
Solubility	: Water: Solubility in water of component(s) of the mixture : • alcohols, C9-C11-iso, C10-rich, ethoxylated: > 100 g/l (25 °C)
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with (strong) oxidizers and with (some) acids/bases.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

phosphoric acid ... %	
LD50 oral rat	2600 mg/kg bodyweight (Rat; Equivalent or similar to OECD 423; Experimental value)
LD50 dermal rabbit	2740 mg/kg bodyweight (Rabbit; No reliable data available)
ATE US (oral)	2600.000 mg/kg bodyweight
ATE US (dermal)	2740.000 mg/kg bodyweight
alcohols, C9-C11-iso, C10-rich, ethoxylated (78330-20-8)	
LD50 oral rat	500 - 2000 mg/kg (Rat; Experimental value)
ATE US (oral)	500.000 mg/kg bodyweight
dodecylbenzenesulphonic acid (27176-87-0)	
LD50 oral rat	650 mg/kg (Rat; Literature study)
ATE US (oral)	650.000 mg/kg bodyweight

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

NL 485 BATH RENOVATOR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after inhalation	: Cough.
Symptoms/injuries after skin contact	: May cause moderate irritation.
Symptoms/injuries after eye contact	: Direct contact with the eyes is likely to be irritating.
Symptoms/injuries after ingestion	: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

phosphoric acid ... %	
LC50 fishes 1	138 mg/l (96 h; Pisces; Pure substance)
LC50 other aquatic organisms 1	100-1000,96 h; Protozoa; Pure substance
EC50 Daphnia 1	> 100 mg/l (48 h; Daphnia magna; Pure substance)
LC50 fish 2	100 - 1000 mg/l (Pisces; Pure substance)
LC50 other aquatic organisms 2	240 mg/l (96 h; Pure substance)
TLM fish 1	138 ppm (96 h; Gambusia affinis; Pure substance)
Threshold limit other aquatic organisms 1	100-1000,96 h; Protozoa; Pure substance
Threshold limit other aquatic organisms 2	240 mg/l (96 h; Pure substance)
Threshold limit algae 1	> 100 mg/l (72 h; Desmodesmus subspicatus; Pure substance)
Threshold limit algae 2	100 mg/l (72 h; Desmodesmus subspicatus; Pure substance)
alcohols, C9-C11-iso, C10-rich, ethoxylated (78330-20-8)	
LC50 fishes 1	10 - 100 mg/l (96 h; Leuciscus idus)
EC50 Daphnia 1	10 - 100 mg/l (48 h; Invertebrata)
Threshold limit algae 1	10 - 100,96 h; Aquatic plants
dodecylbenzenesulphonic acid (27176-87-0)	
LC50 fishes 1	3.2 - 5.6 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 1	1 - 10 mg/l (48 h; Daphnia magna; GLP)
LC50 fish 2	3.5 - 10 mg/l (96 h; Brachydanio rerio)
EC50 Daphnia 2	5.88 mg/l (48 h; Daphnia magna)
TLM fish 1	4.2 - 5.6,96 h; Lepomis macrochirus; Soft water
TLM fish 2	4.2 - 5.6,96 h; Pimephales promelas; Soft water
Threshold limit algae 1	29 mg/l (96 h; Selenastrum capricornutum)
Threshold limit algae 2	127.9 mg/l (72 h; Scenedesmus subspicatus; GLP)

12.2. Persistence and degradability

phosphoric acid ... %	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
ThOD	Not applicable (inorganic)
alcohols, C9-C11-iso, C10-rich, ethoxylated (78330-20-8)	
Persistence and degradability	Readily biodegradable in water. Adsorption to soil is possible.
dodecylbenzenesulphonic acid (27176-87-0)	
Persistence and degradability	Readily biodegradable in water. Low potential for adsorption in soil.
Chemical oxygen demand (COD)	2.41 g O ₂ /g substance

12.3. Bioaccumulative potential

phosphoric acid ... %	
Bioaccumulative potential	Not bioaccumulative.
alcohols, C9-C11-iso, C10-rich, ethoxylated (78330-20-8)	
Bioaccumulative potential	Not bioaccumulative.
dodecylbenzenesulphonic acid (27176-87-0)	
BCF fish 1	108 - 551 (Pisces)
BCF fish 2	130 (72 h; Leuciscus idus)
BCF other aquatic organisms 1	140 (120 h; Bacteria)
BCF other aquatic organisms 2	60 (24 h; Chlorophyta)
Log Pow	1.96
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

NL 485 BATH RENOVATOR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

dodecylbenzenesulphonic acid (27176-87-0)

Surface tension : 35 N/m (25 °C; 800 mg/l)

12.5. Other adverse effects

Effect on ozone layer :
Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1805 Phosphoric acid solution, 8, III
UN-No.(DOT) : UN1805
Proper Shipping Name (DOT) : Phosphoric acid solution
Department of Transportation (DOT) Hazard Classes : 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger
DOT Special Provisions (49 CFR 172.102) : A7 - Steel packagings must be corrosion-resistant or have protection against corrosion. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / (1 + a (tr - tf))$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L
DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : 1805
Proper Shipping Name (IMDG) : PHOSPHORIC ACID SOLUTION
Class (IMDG) : 8 - Corrosive substances
Packing group (IMDG) : III - substances presenting low danger

NL 485 BATH RENOVATOR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

UN-No.(IATA)	: 1805
Proper Shipping Name (IATA)	: PHOSPHORIC ACID, SOLUTION
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

phosphoric acid ... %	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Not listed on the United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb

15.2. International regulations

CANADA

EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

No additional information available

15.3. US State regulations

phosphoric acid ... %
U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 2	Hazardous to the aquatic environment — Acute Hazard, Category 2
Aquatic Acute 3	Hazardous to the aquatic environment — Acute Hazard, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H401	Toxic to aquatic life
H402	Harmful to aquatic life

NFPA health hazard


: 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard

: 0 - Materials that will not burn.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



NL 485 BATH RENOVATOR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: B

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product